

Series 4, fully-integrated dishwasher, 45 cm, Variable hinge for special installation situations SPT4EMX17E



Better drying performance even for built in kitchens with a high installation.

- **A perfect design match thanks to Vario Hinge.** Leaving no gaps even in kitchens with low plinth heights and high built-in solutions.
- **Efficient Dry:** top-rated drying performance by automatic door opening.
- **SlimLine VarioFlex baskets & VarioDrawer:** 3 racks mould to fit everything from teaspoons to pots.
- **Adjust the top basket with Rackmatic**
- **Silence Plus:** remarkably quiet at 44dB.

Technical Data

Energy Efficiency Class (Regulation (EU) 2017/1369):	 B
Energy Consumption for 100 cycles Eco Programme (EU 2017/1369):	51 kWh/100 cycles
Maximum number of place settings (EU 2017/1369):	 10
The water consumption of the eco programme in liters per cycle (EU 2017/1369):	8.7 l
Programme duration (EU 2017/1369):	3:55 h
Airborne acoustical noise emissions (EU 2017/1369):	44 dB(A) re 1pW
Airborne acoustical noise emission class (EU 2017/1369):	 B
Built-in / Free-standing:	 Built-in
Height with worktop:	 0 mm
Dimensions of the product (HxWxD):	815 x 448 x 550 mm
Required niche size for installation (HxWxD):	815-875 x 450 x 550 mm
Depth with open door 90 degree:	 1150 mm
Adjustable feet:	 Yes - all from front
Maximum adjustability feet:	 60 mm
Adjustable plinth:	 Both horizontal and vertical
Net weight:	31.9 kg
Gross weight:	 33.7 kg
Connection rating:	 2400 W
Fuse protection:	10 A
Voltage:	 220-240 V
Frequency:	 50; 60 Hz
Length electrical supply cord:	 175 cm
Length inlet hose:	 165 cm
Length outlet hose:	 205 cm
EAN code:	4242005542123
Installation typology:	 Full-integrated

Optional accessories

SGZ0BI02	decorative strips stainless steel 81,5cm
SGZ1010	inlet and outlet hose extention
SGZ4CB00	Vario cutlery basket 45cm
SGZ8BI00	Connection rail for divided furniture
SMZ1051EU	Mains cable with EU-Plug 5m
SMZ5000	Dishwashing aid set
SMZ5300	GlassSecure Tray



4 242005 542123

Series 4, fully-integrated dishwasher, 45 cm, Variable hinge for special installation situations SPT4EMX17E

Better drying performance even for built in kitchens with a high installation.

Capacity and consumption

- Energy Efficiency Class¹: B
- Energy² / Water³: 51 kWh / 8.7 litres
- Capacity: 10 place settings
- Programme duration⁴: 3:55 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (silence programme): 43 dB(A) re 1 pW

Programmes & Special functions

- 6 programmes: Eco, Auto, Intensive, Express 60°, Silence, Favourite
- Favourite Program
- 4 special options: Remote Start, EfficientDry, Intensive Zone, SpeedPerfect+
- Machine Care
- Add-On functions via Home Connect app: HygienePlus, Silence on Demand

Design & Comfort

- EcoDrying and heat exchanger
- Sensors: AquaSensor
- DosageAssist
- EcoSilence Drive: low energy consumption and low noise
- DuoPower spray arms in top basket
- Self-cleaning filter system with 3-fold corrugated filter
- Interior tub material: Stainless Steel

Technics

- Vario Flex basket system
- VarioDrawer
- Rackmatic height-adjustable top basket (3 stage)
- Low friction wheels on lower rack
- Colored anti-slip protection strips in upper rack
- Rack Stopper to prevent derailing of lower basket
- 2 foldable plate racks in top basket
- Lower basket: 2 foldable plate racks in bottom basket
- Upper basket: Cup shelf in top basket
- Cup shelf in bottom basket
- Glass rack in bottom basket

Safety

- Home Connect via WLAN
- Push button top controls
- Plain text display (english)
- InfoLight red
- Remaining programme time indicator (min)
- Acoustic end of cycle indicator
- Electronic delay timer: 1-24 hours

Installation

- AquaStop safety system, minimizes water leakage in the kitchen
- Child safety: double push
- OpenAssist
- VarioHinge
- Aqua Mix -glass protection system

Accessories

- Funnel
- Including steam protection

Measurements

- Product dimensions (HxWxD): 81.5 x 44.8 x 55 cm

¹ Scale of Energy Efficiency Classes from A to G

² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)


³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C


* Please find warranty terms under [please insert here the local URL (internet address, e.g. VeroSelection, VeroBar, VeroCafe and built-in coffee machines but with the direct page with the warranty terms)]

**Series 4, fully-integrated dishwasher,
45 cm, Variable hinge for special
installation situations
SPT4EMX17E**

measurements in mm



measurements in mm



⌚ socket
() values with extension kit