

# **SIM3844D**



Product Family

Built-in Ultra-low profile or Fully Flushed

Hob

Dimensions80 cmPower supplyElectricTypeInduction

**EAN code** 8017709305574



## **Aesthetics**







Aesthetics Classic
Colour Black
Finishing Glass
Material Glass

Glass Type Eclipse ceramic
Glass edge Straight edge

Type of control setting Touch control back-lighted White

SliderYesSliderWhiteControl knobs positionFrontSerigraphy colourGrey

# **Program / Functions**





No. of induction cook zones 4

Time-setting options Automatic switch-off

No. of cooking zones with booster 4
No. of Flexible zones 1

Main on/off switch

Power levels

Auto-Vent 2.0

Total no. of cook zones

Yes

4



## **Options**



















**Multizone Option** Yes Flexible Zone Type MultiZone Standard cut out 480x730 mm

Keep warm automatic Yes

function

**Grill function** Yes End cooking timer 4 Pause option Yes Minute minder End of cooking acoustic

Residual time indicator Yes Limited Power Yes advance

**Consumption Mode** 

**Limited Power** 2400 a 7400 - step 100 W

Yes

Yes

Yes

Consumption Mode in W

Show Room Demo Yes

Option

Control Lock / Child

Safety

**Bridge option** Yes Quick start Yes Rapid level selection Yes

**Technical Features** 











Front left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Rear left - Induction - multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Central - Induction - single - 2.30 kW - Booster 3.00 kW - Double booster 3.00 kW - Ø 21.0 cm

Front right - Induction - single - 1.40 kW - Booster 2.10 kW - Ø 16.0 cm

Yes

Multizone left - Booster 3.70 kW - 38.5x23.0 cm

Automatic setting according to pan

dimension

Automatic pan Yes, min 7 cm

detection

**Permanent Automatic** Yes Pot Detection with indication of the relative

control

Minimum pan diameter

indication

Automatic switch off when overheat

Automatic switch off

when overflow

Residual heat indicator Yes **Protection against** Yes accidental start up

## **Electrical Connection**

Nominal power (W) 7400 W Current 33 A Voltage (V) 220-240 V

Voltage 2 (V) 380-415 V Type of electric cable Single phase Type of electric cable

Yes, Double and Three

Yes, Double and Three

Phase

Type of electric cable

supplied

Frequency (Hz) Power supply cable


length

Phase

50/60 Hz 120 cm

**Terminal Box** 5 poles







# Not included accessories

### **GRILLPLATE**



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

#### TPK



Stainless steel grill plate to cook Teppanyaki dishes



### **SCRP**

Induction and ceramic hobs and teppanyaki scraper

#### **TPKPLATE**



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



# Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



PAUSE\_72dpi



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN\_ZONE\_72dpi











Darkness becomes light

EVO

Evolution Slider totally Back-lighted ghost effect