
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: re  Supplier's address: Modino AS, Trondheimsveien 183, 2020 Skedsmokorset, Norway  Model identifier: 71901  Type of light source:  Lighting technology used: LED Non-directional or directional:					
Model identifier: 71901  Type of light source:  Lighting technology used: LED Non-directional or NDLS	Supplier's name or trade mark: re				
Type of light source:  Lighting technology used: LED Non-directional or NDLS	Supplier's address: Modino AS, Trondheimsveien 183, 2020 Skedsmokorset, Norway				
Lighting technology used: LED Non-directional or NDLS	Model identifier: 71901				
0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type of light source:				
Light source cap-type NA					
(or other electric interface)					
Mains or non-mains:  NMLS  Connected light source (CLS):					
Colour-tuneable light source: No Envelope: -					
High luminance light source: No					
Anti-glare shield: No Dimmable: No					
Product parameters					
Parameter Value Parameter Value					
Energy consumption in on-mode (kWh/1000 h), rounded class					
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)  I 200 in Wide cone (120°) temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set					
On-mode power (P <sub>on</sub> ), expressed in W and rounded to the second decimal 0,50					
Networked standby power - Colour rendering in- (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal  imal  Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set					
Outer dimen- Height 580 Spectral power dis- See image					
sions without separate control gear, lighting control Width 480 tribution in the range 250 nm to 800 nm, at full-load	e				

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,435	
		nates (x and y)	0,442	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	2	Survival factor	0,90	
the lumen maintenance factor	1,00			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/06/2025



**EPREL registration number:** 2343847 https://eprel.ec.europa.eu/qr/23

43847

Supplier: CALISTO AS (Authorised representative) Website: www.calisto.no

**Customer care service:** 

Name: Modino AS Website: www.modino.no

Email: info@modino.no Phone: +4721504100

Address:

Trondheimsveien 183,

2020 Skedsmokorset, Norway