

**iQ300, free-standing fridge, 186.2 x 59.5 cm, Brushed steel anti-fingerprint KS36N6IDM**



The freestanding fridge with hyperFresh 0°C for enhanced freshness, startling capacity to effortlessly stock items and a handle for easy opening.

- ✓ Side by side combination: Seamless design, expanded space, and modern style.
- ✓ bigCapacity: Enjoy spacious storage that accommodates all your groceries with ease.
- ✓ hyperFresh 0°C: Temperatures slightly above 0°C ensure your food stays fresh for longer.
- ✓ Total noFrost: Wave goodbye to water drops on your fridge's back wall for a cleaner, fresher space.
- ✓ Flexible door interior: Easily adjust trays in the door to fit your storage needs.

**Features**

**Technical Data**

Gross weight:	154.000 lbs
Energy Efficiency Class (Regulation (EU) 2017/1369):	D
Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369:	138 kWh/annum
Sum of volume of frozen compartments (EU 2017/1369):	0 l
Sum of volume of chill- and unfrozen compartments (EU 2017/1369):	402 l
Airborne acoustical noise emissions (EU 2017/1369):	...39 dB(A) re 1pW
Airborne acoustical noise emission class (EU 2017/1369):	C
Built-in / Free-standing:	Free-standing
Width of the appliance:	595 mm
Height:	1862 mm
Depth of the product:	663 mm
Net weight:	63.7 kg
Door panel options:	Not possible
Door hinge:	Left reversible
Number of Adjustable Shelves in fridge compartment:	1
Shelves for Bottles:	Yes
Frost free system:	Freezer
Interior ventilator:	No
Reversible Door Hinge:	Yes
Length electrical supply cord:	240 cm
Multi-Flow Air Tower:	Yes
Economy setting:	Yes
Fast cooling switch:	Yes
Temperature Controlled Drawer:	No
Humidity Control Drawer:	No
Number of Door Bins - Refrigerator:	5
Door bin adjustability - Refrigerator:	No
Tilt-out door bins in fridge:	No
Gallon Storage:	Yes
Number of Gallon storage:	1
Motorized Shelf:	No
Material of the shelves:	Glas
Door opened indicator freezer:	No
Voltage:	220-240 V
Frequency:	50 Hz
Door panel options:	Not possible
Installation typology:	Freestanding
Plug type:	Gardy plug w/ earthing
Required cutout/niche size for installation (in):	x
Dimensions of the packed product:	76.37 x 26.18 x 31.10
Net weight:	141.000 lbs

**Optional accessories**

KS39ZAL10 Connection set for EOH inox and PIL



## iQ300, free-standing fridge, 186.2 x 59.5 cm, Brushed steel anti-fingerprint KS36N6IDM

### Features

#### Performance and consumption

- Energy Class EU19\_EEK\_D: D
- Total Volume : 402 l
- Annual Energy Consumption: EU19\_Annual energy cons rd\_D: 138 kWh/a
- Climate class: EU19\_Climate class\_D: SN-T
- Noise level: EU19\_Noise emission\_D: 39 dB

#### Design

- door external material: inox look premium
- casing color: pearl grey matt
- light, softstart KS: yes
- light fridge,top
- material backwall in fridge: metal

#### Comfort and Safety

- Home Connect Ecosystem
- full no frost
- multiAirflow
- flexDoor: customize the shelves in the door exactly as you want.
- mode, sabbath: yes
- mode, holiday: yes
- mode, economy: yes
- number of temperatur zones: 1
- display type: 7 Segment
- door alarm fridge: yes
- mode, super cool: manual activating
- 90°door opening drawer removal
- side-by-side capable : can be placed alongside

#### Fridge Section

- EU19\_Unfrozen volume\_D: 402 l
- Bottle Rack: 1
- no. small door bins full width: 2
- no. small door bins half width: 2
- no. large door bins full width: 1
- no. of shelves in fridge: 4

#### Freshness System

- Freshness drawer meat & fish: 2
- Freshness drawer fruit & vegetables: 1
- Multifunctional drawer: 1

#### Dimensions

- Appliance Dimensions (H x W x D): 1862 mm x 595 mm x 663 mm


#### Technical Information

- nominal voltage min: 220 V - nominal voltage max: 240 V
- length of mains cable in mm: 2400 mm


iQ300, free-standing fridge, 186.2 x 59.5 cm, Brushed steel anti-fingerprint KS36N6IDM

Dimensioned drawings


Measurements in mm




Measurements in mm



Measurements in mm



A: Air outlet  $\geq 200 \text{ cm}^2$



B: Air outlet  $\geq 200 \text{ cm}^2$

